

# Warning Sphere

## Polyethylene, orange

### Features:

- The warning sphere's colour is UV and Ozone resistant.
- The clamps feature a grooved channel, which makes slipping impossible.
- The warning sphere can be used for transmission and distribution lines of any voltage without any adjustment of the insulating distances.
- For aluminium based conductors and OPGW shield wires the warning sphere should be installed over armour rods.
- Drain holes prevent accumulation of rain inside the sphere.
- Nesting hemisphere design reduces transportation and storage costs.

### Material:

- **Clamps:**  
Aluminium alloy with grooved channel
- **Hemisphere:**  
Coloured Polyethylene
- **Plates:**  
Stainless steel
- **Bolts:**  
Stainless steel
- **Safety plate:**  
Stainless steel



*Picture may vary.*

## Technical Data

|                          |        |                    |
|--------------------------|--------|--------------------|
| <b>Article no.</b>       |        | <b>180 544 172</b> |
| Conductor diameter range | (mm)   | 35.3 - 36.6        |
| Conductor diameter range | (inch) | 1.39 - 1.44        |
| Colour                   |        | orange             |
| Warning sphere material  |        | Polyethylene       |
| Clamp material           |        | Aluminium          |

## Dimensions

|                         |        |      |
|-------------------------|--------|------|
| Warning sphere diameter | (mm)   | 600  |
| Warning sphere diameter | (inch) | 23.6 |