# Warning Sphere Polyethylene, white

## Features:

- The warning sphere's colour is UV and Ozone resistant.
- The clamps feature a grooved channel, which makes slipping impossible.
- The warning sphere can be used for transmission and distribution lines of any voltage without any adjustment of the insulating distances.
- For aluminium based conductors and OPGW shield wires the warning sphere should be installed over armour rods.
- Drain holes prevent accumulation of rain inside the sphere.
- Nesting hemisphere design reduces transportation and storage costs.



### Material:

■ Clamps:

Aluminium alloy with grooved channel

Hemisphere:

Coloured Polyethylene

■ Plates:

Stainless steel

Bolts:

Stainless steel

Safety plate:

Stainless steel

Picture may vary.

# Technical Data

| Article no.              |        | 180 544 385  |
|--------------------------|--------|--------------|
| Conductor diameter range | (mm)   | 52.2 - 53.5  |
| Conductor diameter range | (inch) | 2.06 - 2.11  |
| Colour                   |        | white        |
| Warning sphere material  |        | Polyethylene |
| Clamp material           |        | Aluminium    |

# **Dimensions**

| Warning sphere diameter | (mm)   | 600  |
|-------------------------|--------|------|
| Warning sphere diameter | (inch) | 23.6 |