

# Warning Sphere

## Polyethylene, orange / white

### Features:

- The warning sphere's colour is UV and Ozone resistant.
- The clamps feature a grooved channel, which makes slipping impossible.
- The warning sphere can be used for transmission and distribution lines of any voltage without any adjustment of the insulating distances.
- For aluminium based conductors and OPGW shield wires the warning sphere should be installed over armour rods.
- Drain holes prevent accumulation of rain inside the sphere.
- Nesting hemisphere design reduces transportation and storage costs.



### Material:

- **Clamps:**  
Aluminium alloy with grooved channel
- **Hemisphere:**  
Coloured Polyethylene
- **Plates:**  
Stainless steel
- **Bolts:**  
Stainless steel
- **Safety plate:**  
Stainless steel

*Picture may vary.*

## Technical Data

|                          |        |                |
|--------------------------|--------|----------------|
| Article no.              |        | 180 544 568    |
| Conductor diameter range | (mm)   | 30.1 - 31.4    |
| Conductor diameter range | (inch) | 1.19 - 1.24    |
| Colour                   |        | orange / white |
| Warning sphere material  |        | Polyethylene   |
| Clamp material           |        | Aluminium      |

## Dimensions

|                         |        |      |
|-------------------------|--------|------|
| Warning sphere diameter | (mm)   | 600  |
| Warning sphere diameter | (inch) | 23.6 |