

# Set: 1kV Transition Joint with 4 Pieces Bolted Connectors 332804202, 4-cores VPE/PVC 25-95|N(A)KBA 25-95, with earthing device


On the basis of DIN SPEC 47640.

$D_{AS}$  = Diameter, outer tubing

$D_{IS}$  = Diameter, inner tubing

$L_{AS}$  = Length, outer tubing

$L_{IS}$  = Length, inner tubing



*Picture may vary.*

## Technical Data

<b>Article no.</b>		<b>333 114 226</b>
<b>Number of conductor</b>		4
<b>Number of screw connectors</b>		4
<b>Operating voltage</b>	$U_m$ (kV)	1,2
<b>Conductor cross section plastic cable</b>	(mm <sup>2</sup> )	25 - 95
<b>Conductor cross section ground cable</b>	(mm <sup>2</sup> )	25 - 95
<b>Nominal voltage</b>	$U_o / U$ (kV)	0.6/1
<b>No. LV screw connector</b>		332 804 202
<b>Shear bolts</b>		yes

## Dimensions

<b>Joint outside diameter</b>	$D_{AS}$ Ø (mm)	85/25
<b>Joint inside diameter</b>	$D_{IS}$ Ø mm	33/8
<b>Joint length</b>	$L_{AS}$ (mm)	800
<b>Joint inner length</b>	$L_{IS}$ Ø mm	200